

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery	
Polymer lithium Ion Battery DS 903475-2S	

2. Manufacturer of cell / battery	
Name	Tigerpow Battery (DongGuan) Co. Ltd.
Address	No.1 LeiTian Str., XiangShan Rd, QingHu Ind Zone, QingXi Town, Dongguan, Guangdong, 523600, P.R. China
Phone	+86 769-82098581
Email	zhangliron1@163.com
Website	www.tiger.com

3. Test laboratory of cell / battery	
Name	Pony Testing International Group
Address	1/F. Building 2, Jun Feng ZhongCheng ZhiZao Innovation Park, FuHai Road, BaoAn District, Shenzhen, Guangdong, China
Phone	400-819-5688
Email	
Website	www.ponytest.com

4. ID-number and date			
Unique test report identification number	MNI7DN2M84544721	Date of test report	24.01.2019

DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "•"			
<input type="radio"/>	Lithium ion cell	Lithium metal cell	<input type="radio"/>
<input checked="" type="radio"/>	Lithium ion battery	Lithium metal battery	<input type="radio"/>
<input type="radio"/>	Lithium hybrid battery		

6. Parameters	Cell	Battery
Mass in gram (g):		105,0 g
Lithium ion: Indicate watt-hour rating (Wh):		14,8
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g Wh

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium Ion Battery DS 903475-2S

7. Physical description of cell / battery

Li-Co

8. Model numbers

24139 High Speed Boat

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass	fail
T1 - Altitude simulation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T2 - Thermal Test	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T3 - Vibration	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T4 - Shock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T5 - External Short Circuit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T6 - Impact / Crush	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T7 - Overcharge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T8 - Forced Discharge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
for all above	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

10. Reference to assembled battery testing requirements

N/A

11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Polymer lithium Ion Battery DS 903475-2S

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
--	----------------------------------	-----	----	-----------------------

13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
--	-----------------------	-----	----	----------------------------------

Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	<input type="radio"/>	YES	NO	<input type="radio"/>
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	<input type="radio"/>	YES	NO	<input type="radio"/>
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	<input type="radio"/>	N/A	YES	NO

17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries				
State of Charge (SoC) max. 30 %	<input type="radio"/>	YES	NO	<input type="radio"/>

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:				
18.a) Only button cells enclosed?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
18.b) Number of enclosed cells (other than button cells)/batteries per equipment				
Enclosed cells per equipment	Enclosed batteries per equipment		1	
When the equipment is intentionally active/switched on during transport e.g. data loggers:				
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment	<input checked="" type="radio"/>	N/A	YES	NO
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	<input checked="" type="radio"/>	N/A	YES	NO

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
Bünde, 2020.04.08	Schreiber, Christian Quality Assurance & Product Safety	<i>Christian Schreiber</i> Riedel GmbH Hörschelstr. 20-30 32257 Bünde Tel.: (+49/0) 5223 965-0